

SUPPLEMENT TO

The Gazette



of India

No. 43]

NEW DELHI, SATURDAY, NOVEMBER 17, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th October 1956.

CHOLERA						SMALLPOX						PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.	
STATES PART (A) AND PART (C)																			
Ajmer								Assam											
Nowgong . . .								5	2						
TOTAL . . .								5	2						
(Estd. mid-year pop. 9,817 thousands.)																			
Total for w/c 13-10-56								3	1						
Total for w/c 6-10-56								7	1						
7-yearly mean for the week								9	6	2	1						
Bhopal																			
TOTAL	7	3						
(Estd. mid-year pop. 867 thousands.)																			
Andhra																			
Srikakulam . . .								2	1	1						
Visakhapatnam	3	1						
Godavari East . . .								25	11	1						
Godavari West . . .								24	18	3	1						
Krishna . . .								3	1	13	1						
Guntur . . .								7	4	38	19						
Nellore	6	1						
Kurnool	9						
Chittoor	12	3						
TOTAL . . .								61	35	86	16						
(Estd. mid-year pop. 21,238 thousands.)																			
Total for w/c 13-10-56								14	8	62	13						
Total for w/c 6-10-56								11	6	101	32						
7-yearly mean for the week								140	69	50	11						
Bihar																			
"N. R."																			
Bombay																			
Surat . . .								8	1						
Ahmednagar . . .								23	8						
East Khandesh . . .								58	19	4						
West Khandesh . . .								41						
Nasik . . .								68	23						
Kolhapur . . .								2						
TOTAL . . .								200	51	4						
(Estd. mid-year pop. 9,569 thousands.)																			
Total for w/c 13-10-56								126	37	7						
Total for w/c 6-10-56								62	22	23	2						
7-yearly mean for the week								52½	19	13	2						

Explanation of Symbols used : C=Cases; D=Deaths; . . =Nil;—"NR" Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th October, 1956—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Coorg															
"N.R."								(Estd. mid-year pop. 38,273 thousands.)							
Delhi								Total for w/e 13-10-56 95 15							
New Delhi	1	Total for w/e 6-10-56 53 23							
TOTAL								7 yearly mean for the week 407 152 60 13							
(Census pop. 1,744 thousands.)															
Total for w/e 13-10-56 1								Manipur							
Total for w/e 6-10-56								TOTAL							
7-yearly mean for the week								(Estd. mid-year pop. 613 thousands.)							
Himachal Pradesh								Total for w/e 13-10-56							
TOTAL								Total for w/e 6-10-56							
(Estd. mid-year pop. 1,003 thousands.)								Orissa							
Total for w/e 13-10-56								Cuttack							
Total for w/e 6-10-56								Puri							
Madhya Pradesh								Dhenkanal							
"N.R."								Kalahandi							
Madras								Mayurbhanj							
Madras	1	TOTAL							
Chingleput	17	3	—	..	(Estd. mid-year pop. 15,114 thousands.)							
North Arcot	7	3	Total for w/e 13-10-56 223 114 12 1							
Salem	8	2	Total for w/e 6-10-56 241 161 9 1							
South Arcot	44	14	7-yearly mean for the week							
Tanjore	3	1 18 10 35 5							
Tiruchirappalli	1	Punjab (I)							
Mathurai	2	TOTAL							
Ramnathapuram	4	1	(Census pop. 12,641 thousands.)							
Tirunelveli	21	4	Total for w/e 13-10-56							
Malabar	8	5	Total for w/e 6-10-56 2							
TOTAL								7-yearly mean for the week							
.. .. 115 34 2							

Explanation of Symbols used: C=Cases; D=Deaths; —Nil; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th October, 1956—*concd.*

CHOLERA						CHOLERA					
SMALLPOX			PLAGUE			SMALLPOX			PLAGUE		
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Travancore-Cochin											
TOTAL						Durg					
20 18						12 5 8 4					
Grand Total for States						Balaghat					
Part (B)						23 3					
96 31 24 19						Buldana					
Grand Total for States						3 3					
Parts (A), (B) and (C) 662 280 282 84						TOTAL					
ARREAR INFORMATION						30 15 32 7					
Madhya Pradesh						Bho pal					
For w/e 6-10-56						For w/e 13-10-56					
Chhindwara						TOTAL					
1 1						2 1					
Hoshangabad						Explanation of symbols used : C =Cases; D. =Deaths; ..=Nil; "N. R."=Information not received.					
15 7											

NEW DELHI-2 (INDIA);
The 12th November, 1956.

K. MITRA,
for Registrar General, India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

AC. 686

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th October, 1956

Town	Mid-year Popn. Est. (000)	B.	Deaths from —									Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
STATES—(Parts A and C)														
Ajmer														
Ajmer	123	125	29.1	11	2	11	..	46	10.7	7	
Beawar	59	13	11.4	3	..	2	..	13	11.4	4	
TOTAL	282	138	25.4	14	2	13	..	59	10.9	11	
Andhra														
Adoni	63	49	40.3	2	..	13	10.7	3	
Anantpur	38	9	12.3	1	..	2	..	10	13.7	1	
Anakapalli	46	15	17.0	1	13	14.7	2	
Bhimavaram	36	30	43.3	1	..	6	8.7	1	
Chirala	43	26	31.4	4	9	10.9	2	
Chittoor	45	46	53.2	1	..	9	10.4	6	
Guddapah	42	11	13.6	2	2.5	..	
Eluru	99	37	19.4	10	..	5	2	31	16.3	4	
Gudivada	36	22	31.7	2	..	2	..	10	14.4	5	
Guntur	147	132	46.7	5	6	8	2	59	20.9	14	
Guntakal	37	21	29.5	2	1	2	..	9	12.6	2	
Kakinada	113	34	15.6	12	30	13.8	5	
Kurnool	68	62	47.4	1	2	3	..	30	23.0	2	
Masulipatnam	88	20	11.8	2	8	4.7	..	
Nandyal	37	32	45.0	1	1	1	..	10	14.0	3	
Nellore	95	79	43.2	2	2	23	12.6	10	
Proddatur	42	22	27.2	3	1	1	..	7	8.7	1	
Rajahmundry	122	59	25.1	6	1	2	..	29	12.4	3	
Tenali	67	44	34.1	1	..	16	12.4	4	
Vijayvada	201	159	41.2	10	5	8	3	53	13.7	10	
Visakhapatnam	128	80	32.5	..	1	..	9	3	8	..	38	15.4	10	
Vizianagaram	75	40	27.7	2	2	3	..	24	16.6	5	
TOTAL	1,668	1029	32.1	..	1	..	71	26	50	7	439	13.7	98	
Assam														
Shillong†
Gauhati	51
Dibrugarh	46	4	4.5
Silchar	43	3	3.6	1	1	3	3.6
TOTAL	140	7	2.6	1	1	3	1.1
Bhopal														
Bhopal	116	36	16.1	2	..	2	..	5	2.2
Bihar														
"N.R."														
Bombay														
Ahmedabad	889	961	56.2	14	20	55	..	294	17.2	83	
Ahmednagar	88	71	42.0	1	..	4	..	16	7.5	3	
Amalner	50	28	29.1	2	..	4	..	12	12.4	2	
Bagalkot	36	30	43.3	1	7	10.1	..	
Baroda	242	228	49.0	16	..	14	..	81	17.4	22	
Barshi	46	40	45.2	6	..	2	..	20	22.6	9	
Belgaum	110	137	64.8	3	3	4	..	57	26.9	13	
Bhusawal	62	41	34.3	6	9	7.5	1	
Bilapur†

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information ; N. R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th October, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay—contd.													
Broach . . .	67	70	54.3	6	1	4	..	16	12.4	..
Cambay . . .	41	57	72.3	2	..	13	16.5	3
Challisgaon . . .	35	29	43.1	7	..	3	..	15	22.3	4
Dharwar . . .	76	41	28.1	1	1	14	9.2	1
Dhulla . . .	89	65	38.0	10	1	1	..	23	13.4	6
Gadag Betageri . . .	71	44	32.2	5	1	1	..	17	12.5	4
Godra . . .	40	24	31.2	3	..	2	..	9	7.8	1
Greater Bombay . . .	3,449	1,934	29.2	1	31	109	1	658	9.9	201
Hubli . . .	148	63	22.1	3	..	11	3.9	2
Jalgaon . . .	79	29	19.1	1	1	2	1	11	7.2	1
Kalyan . . .	73	43	30.6	1	6	4.3	3
Kolhapur . . .	159	139	45.5	2	..	7	..	36	11.8	6
Malegaon . . .	63	44	36.2	7	..	4	..	11	9.1	..
Miraj . . .	44	7	8.3
Nadiad . . .	71	69	50.5	19	25	18.2	7
Nandurbar . . .	35	23	34.2	2	2	2	..	10	14.9	..
Nasik†
Navasari . . .	50	58	60.3	5	16	16.6	5
Pandharpur . . .	44	39	45.9	4	3	10	..	23	27.2	8
Patan . . .	47	55	60.9	3	3	3	2	19	21.0	2
Poona . . .	607	325	27.8	5	6	19	1	140	12.0	42
Sangli . . .	58	32	28.7	1	1	2	..	16	14.2	4
Satara . . .	40	49	63.7	2	..	4	..	14	18.2	1
Sholapur . . .	299	368	64.0	15	9	46	..	167	29.0	47
Surat . . .	250	248	51.6	12	4	17	1	97	20.2	30
Thana . . .	61	32	27.3	2	1	2	..	11	9.4	3
TOTAL . . .	7,519	5,423	37.5	163	88	326	6	1,871	12.9	514

Delhi State

Delhi City . . .	1,124	694	32.1	63	9	22	..	149	6.9	61
New Delhi . . .	374	348	48.4	5	1	3	..	119	16.5	26
N. A. C. Civil Station Delhi . . .	117	145	64.4	2	2	4	..	19	8.4	9
Delhi Cantt . . .	50	25	26.0
Delhi Shahadra . . .	53	24	23.5	8	..	2	..	10	9.8	2
TOTAL . . .	1,718	1236	37.4	78	12	31	..	297	9.0	98

Madhya Pradesh

"N. R."

Madras

Ambur†
Aruppukottai . . .	56	42	39.0	3	3	2	1	20	18.6	6
Bodinayakanpur . . .	40	12	15.6	1	..	1	6	7.8	2
Cannanore . . .	47	18	19.9	1	..	14	15.5	2
Chidambaram . . .	39	40	53.3	2	1	..	13	19.3	3
Coimbatore . . .	234	299	66.4	1	2	18	..	72	16.0	17
Cuddalore . . .	74	78	54.8	2	..	4	2	20	14.0	5
Dindigul . . .	90	45	26.0	4	1	3	..	19	11.1	6
Erode . . .	67	49	38.0	1	2	..	19	14.7	4
Gobichetty Palyan . . .	38	30	41.0
Guddiyattam . . .	53	51	50.0	1	1	3	..	18	17.7	5
Kancheepuram . . .	90	81	46.8	1	..	13	1	36	20.8	5

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile deaths (included in total deaths) ; ..—Nil Information ; "N. R."—Information not Received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending 20th October, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Madras—contd.														
Karaikudi	44	28	33.0	2	..	1	..	6	7.0	2	
Karur	50	22	22.9	2	1	13	13.5	3	
Kozhikode	176	89	26.3	4	..	11	..	52	15.4	7	
Kumbakonam	105	122	60.4	1	..	2	..	26	12.9	6	
Madras	1,703	1,522	46.5	40	96	141	2	591	18.0	172	
Mangalore	136	90	34.4	1	1	4	..	20	7.6	1	
Mathurai	427	339	41.3	8	6	31	1	139	16.9	45	
Mayuram	49	32	34.0	2	..	13	13.8	2	
Malapalyam	41	10	12.9	1	2	2.5	..	
Nagapattinam	60	30	26.0	3	2	13	11.4	1	
Ootacamund	47	25	27.0	1	5	5.4	3	
Palni	40	18	23.4	1	..	6	..	15	19.5	4	
Palayamkottai	45	42	48.5	6	3	3	1	23	26.6	4	
Palghat	77	56	37.8	1	1	6	1	27	18.2	6	
Periyakulam	34	22	33.6	2	2	3	1	21	32.1	4	
Pollachi	51	62	63.2	2	3	..	24	24.5	5	
Pudukottai†	69	54	40.7	2	5	4	..	23	17.3	2	
Rajapalayam	69	54	40.7	2	5	4	..	23	17.3	2	
Salem†	42	39	48.3	1	1	6	7.4	3	
Srirangam	42	39	48.3	1	1	6	7.4	3	
Srivilliputtur†	42	39	48.3	1	1	6	7.4	3	
Tanjore	118	21	9.3	2	..	2	..	13	5.7	..	
Tellicherry	42	32	39.6	15	18.6	1	
Tiruvannamalai	45	18	20.8	1	..	1	..	10	11.6	1	
Tirunelveli	80	51	33.2	3	4	2	..	20	13.0	5	
Tiruppur	63	52	42.9	1	3	1	15	12.4	5	
Tiruchirappalli	251	185	38.3	..	1	..	2	7	6	..	41	8.5	4	
Tuticorin	111	84	39.4	4	7	12	..	50	23.4	18	
Vaniyambadi	43	34	41.1	1	2	1	1	9	10.9	2	
Vellore	124	149	62.5	1	6	13	..	53	22.2	8	
Villupuram	39	45	60.0	1	2	..	11	14.7	4	
Virudunagar	53	39	38.3	1	2	..	13	12.8	3	
TOTAL	4,994	4,057	42.2	..	1	..	101	159	309	14	1,506	15.7	376	
Orissa														
Berhampur	72	90	65.2	4	7	3	..	33	23.8	12	
Cuttack	117	105	46.8	2	2	..	8	..	37	16.5	5	
Puri	53	45	44.2	..	1	..	8	6	2	..	31	30.5	1	
TOTAL	242	240	51.6	2	1	..	14	13	13	..	101	20.7	18	
Pondicherry														
Pondicherry	68	79	60.4	..	1	..	4	4	3	2	25	19.1	15	
Punjab (I)														
Ambala	65	81	65.0	2	4	6	1	19	15.1	7	
Amritsar	343	316	48.0	1	6	20	1	75	11.3	19	
Batala	62	39	32.6	2	1	6	..	16	13.5	1	
Bhiwani	57	76	69.5	10	..	1	..	15	13.6	4	
Ferozepore	45	42	48.4	1	2	..	7	8.0	3	
Hissar	39	46	61.5	2	..	5	6.6	3	
Hoshiarpur	51	37	37.7	4	..	3	..	13	13.3	2	
Jullundur	200	221	57.6	13	4	11	..	36	9.4	14	
Karnal	72	71	51.4	2	1	4	..	11	8.0	3	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used: B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th October, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Punjab (1)—<i>contd.</i>													
Ludhiana	176	187	55.4	11	1	2	..	30	8.9	9
Moga	41	38	48.3	3	6	7.6	1
Patiala	64	60	49.0	3	3	11	9.0	4
Pathankot	34	35	53.6	1	..	2	..	5	7.6	1
Rewari	36	32	46.3	3	2	7	10.2	3
Rohatki	105	94	46.5	3	1	1	..	12	6.0	5
Simla†
Sonapat	34	41	63.0	8	12.1	2
TOTAL	1,424	1,416	51.7	58	24	60	2	276	10.1	81
Uttar Pradesh													
Agra	375	275	38.3	1	11	71	..	129	18.0	42
Allahabad	349	210	31.4	1	2	22	1	55	8.2	14
Amroha	61	76	65.0	9	4	7	..	37	31.5	17
Bahraich	47	27	30.0	1	3	3.3	3
Banaras	383	433	59.1	58	19	16	2	248	33.6	56
Ballia	35	10	14.8	2	3.0	1
Banda	32	24	39.0	1	1	1	..	8	13.0	3
Barcilly†
Bijnor	32	18	28.4	1	..	4	6.5	2
Budaun	54	40	38.6	4	15	14.5	6
Basti†
Bulandshahr†
Chandauli	41	50	64.2	4	2	4	..	20	25.1	2
Dehra Dun	146	58	20.8	2	8	2.9	4
Etawah	64	66	53.6	5	3	2	..	18	14.7	5
Faizabad-Ayodhya	88	43	25.5	1	2	..	11	6.5	3
Farrukhabad-Fatehgarh	82	69	44.0	3	2	1	..	15	9.6	3
Ferozabad	79	33	21.6	1	2	15	9.7	3
Ghaziabad	46	44	50.0	4	6	6.8	2
Ghazipur	36	39	56.6	8	15	21.8	2
Gorakhpur	140	105	39.2	8	..	1	..	25	9.3	6
Gonda	35	6	9.0
Hapur	49	72	76.8	6	..	5	..	12	12.8	..
Hardwar	64	38	31.0	10	2	5	..	25	20.4	13
Hathras	62	85	71.6	7	..	6	..	25	21.1	10
Jaunpur	56	32	29.7	2	..	5	..	10	9.3	1
Jhansi	116	117	52.4	14	..	3	..	27	12.2	9
Kanpur	734	143	21	49	9	368	26.2	96
Kasganj	34	15	23.1	6	1	7	10.8	4
Khurja	41	28	35.7	2	2	6	..	15	19.0	2
Koil-Aligarh	150	85	29.6	8	1	4	..	15	5.2	3
Lucknow	494	389	41.2	15	5	15	..	90	9.5	22
Mathura	110	126	59.7	5	2	5	2	24	11.4	10
Mau-Nath Bhanjan†
Meerut	185	128	36.2	8	4	9	..	29	5.4	9
Mirzapur-Vindhyachal	97	44	23.7	4	1	2	..	16	8.6	4
Moradabad	164	195	62.0	6	2	9	2	35	11.1	12
Muzaffarnagar	74	48	33.9	5	1	..	1	15	10.6	3
Pilibhit	45	40	46.5	6	1	3	..	15	17.4	6

*In cases of towns where there has been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th October, 1956—*contd.*

		Deaths from :—												
Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Uttar Pradesh—contd.														
Rampur†														
Saharanpur . . .	162	132	42.6	22	1	3	..	40	12.9	12	
Sambhal . . .	65	78	62.7	6	5	5	..	25	20.1	9	
Shahjahanpur . . .	99	84	34.5	10	1	3	..	25	10.3	7	
Sitapur . . .	49	30	32.2	3	8	8.1	4	
TOTAL . . .	4,975	3,392	35.5	396	97	265	18	1,460	15.3	410	
West Bengal														
"N.R."														
STATES—(Part B)														
Hyderabad														
"N.R."														
Jammu & Kashmir														
"N.R."														
Madhya Bharat														
"N.R."														
Mysore														
Chitaldrug . . .	31	6	10.1	2	3	5.0	..	
Hassan . . .	30	21	36.4	4	6.9	..	
Bangalore . . .	977	773	41.1	10	43	48	..	275	14.6	..	
Mysore . . .	294	170	30.1	17	4	1	..	66	11.7	..	
Kolar . . .	32	27	43.9	4	6.5	..	
Kolar Gold Field . . .	173	84	25.2	2	1	4	..	20	6.0	..	
Bellary . . .	78	29	19.3	2	..	3	..	27	18.0	..	
Davangere . . .	69	7	5.3	4	3.0	..	
Hospet . . .	45	26	30.0	1	1	1	1	11	12.7	..	
Shimoga . . .	57	32	29.2	4	1	1	1	10	9.1	..	
TOTAL . . .	1,786	1,175	34.3	36	50	58	4	424	12.3	..	
PEPSU														
Patiala City . . .	111	67	31.4	16	3	1	..	39	18.3	17	
Malerkotla . . .	34	62	94.8	3	..	2	..	9	13.8	2	
Bhatinda . . .	39	45	60.0	1	2	2.7	..	
TOTAL . . .	184	174	49.2	20	3	3	..	50	14.1	19	
Rajasthan														
"N.R."														
Travancore-Cochin														
Alleppey . . .	148	6	2.1	2	1	1	..	16	5.6	2	
Changanacherry . . .	41	25	31.7	6	7.7	..	
Ernakulam . . .	70	60	44.6	3	..	2	1	15	11.1	2	
Kottayam†														
Mattanchery . . .	85	72	44.1	2	..	2	..	19	11.6	4	
Nagercoil . . .	94	17	9.4	2	..	2	..	11	6.1	3	
Quilon . . .	75	45	31.0	2	1	2	..	20	13.9	..	
Trichur . . .	76	45	33.8	1	..	8	5.5	1	
Trivandrum City . . .	218	112	26.7	3	..	3	..	25	6.0	3	
TOTAL . . .	807	382	24.6	14	2	13	1	120	7.7	15	
Saurashtra														
Bhavnagar . . .	157	93	30.8	15	1	4	..	43	14.2	12	
Dhoraji . . .	47	39	43.1	5	2	9	10.0	..	
Gondal . . .	41	30	38.0	2	1	1	..	7	8.9	..	
Jamnagar . . .	122	33	14.1	8	3	4	..	21	9.0	8	
Junagadh . . .	65	22	17.6	7	2	1	..	20	16.0	7	
Morvi . . .	43	21	25.3	3	1	2	..	7	8.5	1	
Porbandar . . .	64	20	16.2	6	2	2	..	19	15.4	7	
Rajkot . . .	167	73	22.7	17	3	6	..	43	13.4	18	
Surendranagar†														
Veraval . . .	46	9	10.2	1	..	3	..	6	6.8	..	
TOTAL . . .	752	340	23.5	64	15	23	..	175	12.1	53	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th October, 1956—*contd.*

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
ARREAR RETURN													
Orissa													
<i>For w/e 13-10-56</i>													
Berhampur . . .	72	50	36.2	3	2	14	10.1	5
Cuttack . . .	117	108	48.2	3	11	4	7	..	49	21.8	10
Puri . . .	53	46	45.3	7	8	1	..	43	42.3	9
TOTAL	242	204	43.8	3	21	14	8	..	106	22.8	24
<i>For w/e 6-10-56</i>													
Berhampur . . .	72	65	47.1	4	2	1	..	20	14.5	7
Cuttack . . .	117	125	55.8	4	11	3	7	2	56	25.0	7
Puri . . .	53	35	34.4	15	4	2	..	34	33.4	4
TOTAL	242	225	48.4	4	30	9	10	2	110	23.6	18
West Bengal													
<i>For w/e 13-10-56</i>													
Asansol†													
Baidyabati . . .	33	3	4.7
Bally . . .	66	3	2.4
Bankura†													
Bansberia†													
Baranagar . . .	90	50	29.0	2	1	1	8	4.6	2
Basirhat . . .	39	3	4.0	1	1.3	..
Berhampur . . .	64	66	53.9	..	2	..	2	4	21	17.2	5
Bhadreshwar . . .	34	6	9.2	3	4.6	1
Bhatpara . . .	143	25	9.1	9	1	2	..	27	9.9	8
Budge Budge†													
Burdwan . . .	82	20	12.8	1	2	2	..	13	8.3	..
Calcutta . . .	2,984	1,596	28.0	6	3	..	32	37	131	3	578	10.1	183
Champdani†													
Cooch Behar†													
Darjeeling†													
English Bazar . . .	36	3	4.4
Garden Reach . . .	124	15	6.3	3	1	1	..	12	5.1	5
Halisahar . . .	41	2	2.6	1	1.3	..
Hoogly-Chinsurah . . .	60	75	65.4	3	2	1	1	12	10.5	1
Howrah . . .	477	165	18.1	2	1	..	10	8	31	..	119	13.0	42
Jalpaiguri . . .	49	20	21.3	2	..	1	..	7	7.5	..
Kamarhati†													
Kanchrapara . . .	74	2	1.4	2	..	2	1.4	..
Krishnanagar . . .	56	1	0.9	..
Midnapore . . .	45	35	40.7	1	5	5.8	..
Nabadwip†													
Naihati . . .	62	8	6.7	2	1.7	1
North Barrackpore . . .	36	..	2.9	1	1.5	1
Panihati†													
Shantipur . . .	49	31	33.1	5	5.3	..
Serampore . . .	83	36	22.7	3	..	18	11.3	7
Siliguri . . .	44
South Dum Dum . . .	83	1	0.6
South Suburban†													
Titagarh†													
TOTAL	4,854	2,167	23.2	8	6	..	62	58	175	5	836	9.0	256
Punjab													
<i>For w/e 1-9-56</i>													
Jullundur . . .	200	147	38.4	18	14	9	..	47	12.3	16
<i>For w/e 29-9-56</i>													
Moga . . .	41	36	45.9	2	4	5.1	..
<i>For w/e 6-10-56</i>													
Ferozepur . . .	45	45	52.0	1	4	15	17.3	2
Moga . . .	41	30	38.2	1	1	3	3.8	1

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R. = Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rates ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th October, 1956—*contd.*

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Assam		<i>For w/e 22-9-56</i>											
Dibrugarh	46
Silchar	43	12	14.7	1	5	6.0	1
TOTAL	89	12	7.2	1	5	2.8	1
Assam		<i>For w/e 6-10-56</i>											
Gauhati	51	12	12.2	2	2	..	1	9	9.2	1
		<i>For w/e 13-10-56</i>											
Gauhati	51	6	6.1	4	2	9	9.2	1
Silchar	43	5	6.0	5	1	1	2	12	14.5	1
TOTAL	94	11	6.1	9	3	1	2	21	11.6	2
Madhya Pradesh		<i>For w/e 13-10-56</i>											
Nagpur	528	242	23.8	14	1	7	..	72	7.1	7
Kamptee	36	42	60.7	1	1.4	..
Chanda	43	44	53.2	2	1	14	16.9	7
Chhindwara	31	19	31.8	2	1	9	15.1	1
Sagar	75	37	25.6	2	..	4	..	6	4.2	..
Damoh	42	24	29.7	4	6	7.4	..
Itarsi	30	21	36.4	1	7	12.1	4
Khandwa	59	19	16.7	3	4	3.5	..
Burhanpur	79	75	49.4	5	1	1	..	12	7.9	..
Bilaspur	40	32	41.6	2	1	10	13.0	4
Gondia	45	54	62.4	2	..	1	1	7	8.2	3
Yeshwantpur	41	47	59.6	6	1	21	26.6	..
Akola	104	104	52.0	8	4	1	..	28	14.0	7
Raigarh	35	7	10.4	1	1	1.5	..
TOTAL	1188	767	33.6	52	9	14	2	198	8.7	33
		<i>For w/e 29-9-56</i>											
Chanda	43	72	87.1	1	..	1	..	15	18.1	4
		<i>For w/e 6-10-56</i>											
Raigarh	35	35	52.0	7	7	10.4	..
Travancore-Cochin		<i>For w/e 13-10-56</i>											
Quilon	75	25	17.3	5	3.5	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :— B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile deaths (included in total deaths); ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 20th October, 1956, relate to 195 towns with an estimated population of 26,675 thousands. The total number of towns is 318 and their population is 41,584 thousands. Thus 61% of the total number of towns representing 64% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 19,124 and 6,811 representing birth and death rates of 37.3 and 13.3 per thousand of population respectively.

(a) *States (Part A and C).*—The data here relate to 165 towns with an estimated population of 23,146 thousands. Information about Bihar, Madhya Pradesh and West Bengal could not be included. The total number of towns is 253 and their population is 33,500 thousands. Thus 65% of the total number of towns representing 69% of the total population is covered. The number of births and deaths recorded in these towns were 17,053 and

6,042 representing birth rates and death rates of 38.3 and 13.6 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B).*—The data here relate to 30 towns with an estimated population of 3,529 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 46% of the total number of towns representing 44% of the total population is covered. The number of births and deaths recorded in these towns were 2,071 and 769 representing birth and death rates of 30.5 and 11.3 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/c 20-10-56		Corresponding w/c last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer	25.4	10.9	†	†	49.8	13.1
Andhra	32.1	13.7	48.8	17.6	†	†
Bombay	37.5	12.9	39.7	14.2	39.6	15.5
Delhi	37.4	9.0	46.5	10.3	49.9	9.9
Madras	42.2	15.7	44.2	16.4	†	†
Orissa	51.6	20.7	55.3	18.0	43.4	18.6
Punjab (I)	51.7	10.1	52.8	12.1	44.5	11.3
Uttar Pradesh	35.5	15.3	47.5	15.7	44.8	18.9
India*	38.3	13.6	44.3	14.9	43.4	17.4

* 6 Part 'A' States and 2 Part 'C' States.

† Figures not available.

NEW DELHI-2 (INDIA) ;

The 12th November 1956.

K. MITRA,
for Registrar General, India.